UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/814,995	03/31/2004	Nicholas D. Spencer	ETH 111	8183
23579 PATREA L. PA	7590 12/12/200 ABST	EXAMINER		
	NT GROUP LLP	YANG, NELSON C		
400 COLONY SQUARE, SUITE 1200 1201 PEACHTREE STREET		U	ART UNIT	PAPER NUMBER
ATLANTA, GA	A 30361		1641	
			MAIL DATE	DELIVERY MODE
			12/12/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/814,995	SPENCER ET AL.		
Office Action Summary	Examiner	Art Unit		
	Nelson Yang	1641		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earmed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on 29 Fe	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) 5,6,9 and 14 is/are wi 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4,7,8,10-13 and 15-18 is/are rejecte 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	ithdrawn from consideration.			
Application Papers				
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>03 October 2005</u> is/are:  Applicant may not request that any objection to the ornection to the ornection to the ornection of	a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 2/4/08.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te		

Application/Control Number: 10/814,995 Page 2

Art Unit: 1641

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 29, 2008 has been entered.

## Response to Amendment

- 2. Applicant's amendment of claims 1, 13 is acknowledged and has been entered.
- 3. Claims 1-4, 7, 8, 10-13, 15-18 are currently under examination.
- 4. Claims 5, 6, 9, 14 are withdrawn.

#### Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. Claims 1, 2, 4, 11, 15-18 are rejected under 35 U.S.C. 102(a) and under 35 U.S.C. 102(e) as being anticipated by Jeon et al. [US 2002/0113095].

Application/Control Number: 10/814,995

Page 3

Art Unit: 1641

With respect to claims 1, 13, Jeon et al. teach a method of preparing concentration gradients on a surface by exposing a substrate to a fluid along a portion of a surface under conditions of substantially laminar flow, wherein the fluid comprises a concentration gradient of a substance, wherein the gradient is substantially perpendicular to the direction of flow (para. 0011), wherein the substance may be chemical or biochemical and is deposited in a desired concentration gradient along the surface of the substrate (para. 0098), and would thus be an adsorbate. The substance may be deposited in a desired gradient increasing from left to right, while a second substance may be applied to the surface parabolically (para. 0098), which would result in a concentration of the substances decreasing from a first area to a second area of the substrate. Jeon et al. further disclose that flow speed of the composite stream may be adjusted in order to alter the position along the stream where a particular concentration gradient is realized (para. 0076), which is dependent on the absorption kinetics of the adsorbates.

- 7. With respect to claim 2, Jeon et al. teach that a first substance may be deposited in a desired gradient increasing from left to right, while a second substance may be applied to the surface parabolically (para. 0098), both which would adsorbates as they are deposited on the substrate.
- 8. With respect to claim 4, Jeon et al. teach substrates comprising glass (para. 0066).
- 9. With respect to claim 11, Jeon et al. teach that the fluid may be provided at an adequate flux, pressure and velocity using syringe pumps (para. 0050).
- 10. With respect to claims 15, 16, Jeon et al. teach a method of preparing concentration gradients on a surface by exposing a substrate to a fluid along a portion of a surface under conditions of substantially laminar flow, wherein the fluid comprises a concentration gradient of

Application/Control Number: 10/814,995

Page 4

Art Unit: 1641

a substance, wherein the gradient is substantially perpendicular to the direction of flow (para. 0011), wherein the substance may be chemical or biochemical and is deposited in a desired concentration gradient along the surface of the substrate (para. 0098), and would thus be an adsorbate. The substance may be deposited in a desired gradient increasing from left to right, while a second substance may be applied to the surface parabolically (para. 0098), which would result in a concentration of a first substance decreasing from a first area to a second area of the substrate, and a second substance increasing from one area to a second area, wherein the surface gradient of the second substance would be radially symmetrical due to its parabolic shape.

- 11. With respect to claim 17, Jeon et al. teach that a first substance may be deposited in a desired gradient increasing from left to right (para. 0098).
- 12. With respect to claim 18, Jeon et al. teach that the substrate comprises a microfluidic network (para. 0035), and therefore the surface gradient would be suitable for analysis involving microfluidics.

#### Claim Rejections - 35 USC § 103

- 13. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 14. Claims 3, 7, 8, 12, are rejected under 35 U.S.C. 103(a) as being unpatentable over Jeon et al. [US 2002/0113095] in view of Genzer et al. [US 6,770,323].

With respect to claims 3, 7, 8, Jeon et al. teach a gradient as discussed above, but fail to teach a hydrophobicity gradient that changes the amount of water attracted to the surface over the length of the surface of the substrate.

Page 5

Genzer et al., however, teach that patterned substrates may be used as detection targets, and that one can produce a complex gradient that changes from hydrophobic to hydropholic in one direction and cationic to anionic in the other direction, such that a complex biomolecules will choose an optimum combination of hydrophobic/cationic forces, and one can conveniently measure the adsorption properties of complex molecular species (column 14, lines 54-65).

Genzer et al. further teach that these gradients may be created using a silicon oxide covered wafers (column 15, lines 34-40) or PDMS substrates, which are hydrophobic substrates (column 5, lines 10-20), and coating the substrates with polyelectrolyte solutions, such as oligonucleotides (column 8, lines 5-15).

Therefore, one of ordinary skill in the art at the time of the invention would have been motivated to have patterned substrates with a complex gradient that changes from hydrophobic to hydrophobic in one direction and cationic to anionic in the other direction, such that a person of ordinary skill in the art would be able to conveniently measure the adsorption properties of complex molecular species.

15. With respect to claim 12, Genzer et al. disclose dipping the substrate in a liquid bath (column 14, lines 36-41), which would involve full immersion of the substrate. This would allow for a more rapid, efficient and complete means of producing surface gradients on the substrates of Jeon et al.

Application/Control Number: 10/814,995 Page 6

Art Unit: 1641

16. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jeon et al. [US 2002/0113095] in view of Natan et al [US 6,242,264 B1].

The teachings of Natan have been disclosed above, but they fail to teach that the substrate is exposed to the first solution using a linear-motion drive.

Natan et al., however, teaches the step of using a motorized translation stage to immerse a substrate for producing a gradient coating thereon, in order to immerse the substrate at a fixed rate that produces known, repeatable immersion conditions. See column 40, lines 49-64.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to apply Natan's step of using a motorized translation stage to immerse the substrate of Jeon et al., in order to immerse the substrate at a fixed rate that produces known, repeatable immersion conditions. The benefit of being able to fabricate gradient substrates with consistent results provides the motivation to combine Natan's step with substrate of Jeon et al.. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success in including Natan's step in the method of Jeon et al., as both Jeon et al. and Natan et al. teach substrates with surface gradients.

### Response to Arguments

17. Applicant's arguments with respect to claims 1-4, 7-8, 10-13, 15-18 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

18. No claims are allowed.

Application/Control Number: 10/814,995 Page 7

Art Unit: 1641

19. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nelson Yang whose telephone number is (571)272-0826. The

examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mark Shibuya can be reached on (571)272-0823. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

20. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nelson Yang/

Primary Examiner, Art Unit 1641